

DF P BA 10 - 20 - 30 S



DF P BA 10 - 20 - 30 S series, is usually used for small-medium pieces lengths and weights, with different shapes and used in different field/applications (automotive, railway, earthmoving, energy field...). Thanks to its wide configuration possibilities is highly versatile. This system (under customer request), in fact, can be adequately designed and equipped in order to test also medium-big pieces with higher weights and also for the aeronautic field.

MAIN CHARACTERISTICS

| | |
|-----------------------------|---|
| Main Frame | Modular aluminium, Galvanized Steel, Various |
| System Managing | Manual |
| Hydraulic Connection | 6 bar (ONLY depending on final configuration) |
| Pneumatic Connection | 6 bar (ONLY depending on final configuration) |

TECHNICAL DATA

| Property | Suction Bench | Suction Bench | Suction Bench |
|--------------------------------------|--|-----------------------|-----------------------|
| Art. no | DF P BA 10 S | DF P BA 20 S | DF P BA 30 S |
| Indicative Dimensions (HxWxL) | 2200 x 1100 x 1100 mm | 2200 x 1100 x 2100 mm | 2200 x 1100 x 3100 mm |
| Useful Dimensions (HxWxL) | 1000 x 400 x 1000 mm | 1000 x 400 x 2000 mm | 1000 x 400 x 3000 mm |
| Suction System | Connected to facility network or Centrifugal Fan* or ATEX Centrifugal Fan* | | |
| Filtering System | Stainless Steel AISI 304 Filter*, Glass 100 Filter + HC2M Filter, Carbon Filter* | | |

***N.B. functions available as option**

SEPARATELY QUOTED OPTIONS

| Art. no. | Description | Picture |
|---|---|---|
| DF OBA GV 10 DF OBA GV 20 DF OBA GV 30 | Metal Grid and Recovery Tank |  |
| DF OBA VEN 10 DF OBA VEN 20 DF OBA VEN 30 | Centrifugal Fan | |
| DF OBA ATEX | ATEX Centrifugal Fan | |
| DF OBA RAI | Suction Adjustment with Inverter | |
| DF OBA FLF 10 DF OBA FLF 20 DF OBA FLF 30 | Frontal Labyrinth Filter (in Stainless Steel, AISI 304) | |
| DF OBA FCA 10 DF OBA FCA 20 DF OBA FCA 30 | Active Carbon Filter | |
| DF OBA QE | Electric Cabinet |  |
| DF OBA ML | Water gun for Washing | |
| DF OBA ML | Air Gun for Blowing | |
| DF L BF 1000 | White Light Stationary Lamp |  |
| DF L BP 1000 | White Light Portable Lamp |  |
| DF OBA COS | Dark Room with top opening |  |
| | UV Stationary Lamp |  |
| | UV Portable Lamp |  |

***N.B. functions available as option**

N.B. the pictures above represented are only for an illustrative purpose

N.B. all items represented (as: reading instrument, plugs, connection systems..) may change depending on the technical predisposition requested.



Since 1992 Delta Flux is a leading company in designing and producing systems and machines in NDT field specialized in **MPI (Magnetics Particles Inspection)** and **PT (Dye and Fluorescent Penetrant Inspection)** devices.

In addition to the design of the machine, production and maintenance, is available a warehouse including **accessories** and **consumables** necessary for the operation of all equipments.

